



2024 / ED. 123

NEWS

PRODUCT LAUNCHES | SEPTEMBER



41061

Alternator
| Pg. 07

illustrative image



ZENSA.com.br
Mobile +55 47 3255 2800
sales@zensa.com.br

FOR FURTHER INFORMATION,
PLEASE CHECK OUR ONLINE CATALOG.

2083



STARTER DRIVE

MOTOR

FORD: JL3Z11002B | JL3Z11002D | JL3Z11002E **LESTER:** 16017 **VALEO:** 1217130A | RSM16A16

APPLICATION

FORD: F150

TECHNICAL DIMENSIONS

No. of Teeth (T): 13 | **Pinion O.D. (mm) (G):** 39 | **Full Length (L):** 55.6 | **Nr. Splines (SLP):** 8 | **Bushing ø (ID):** 12 | **Cover ø (D):** 48.9 | **Depth of Recess mm (RH):** 2 | **Direction of Rotation:** CW | **Family:** 167

REGIONS

Europe, Mexico

5865



RIGID PULLEY

ORIGINAL CODE OR EQUIVALENT

UNIFAP: 3405

ALTERNATOR

VALEO: A14N183M

APPLICATION

VOLVO: B12 | FH | FH12 | FH16 | FL12 | FM10 | FM12 | FM7 | FM9 | NH

TECHNICAL DIMENSIONS

∅ External: 67 | Full Length: 44 | Hole ∅: 17 | # of Ribs: 9 | Family: 502

REGIONS

Brazil

5871



RIGID PULLEY

ORIGINAL CODE OR EQUIVALENT

BOSCH: F00M991101 | F00M991154

UNIFAP: 3427

ALTERNATOR

BOSCH: 0124325064 | 0124325136 | 0124325161 | 0124325211 | 0124325255 | 0124325280

FORD: 1C3510300AB

APPLICATION

FORD: Cargo C1119 | Cargo C1317E | Cargo C1517E | Cargo C1717E | Cargo C1722E | Cargo C2422E | Cargo C2428E | Cargo C2622E | Cargo C2628E | Cargo C815E | Cargo C816 | F12000 | F14000 | F16000 | F250 | F350 | F4000

TECHNICAL DIMENSIONS

∅ External: 74.5 | Full Length: 35 | Hole ∅: 17 | # of Ribs: 8 | Family: 502

REGIONS

Brazil

5875



RIGID PULLEY

ORIGINAL CODE OR EQUIVALENT

PRESTOLITE: 35215304 | K01325

UNIFAP: 3440

ALTERNATOR

JOHN DEERE: RE515328

PRESTOLITE: 35214895 | 35215304

APPLICATION

JOHN DEERE: 6405 | 6415 | 6605 | 6615 | 7505 | 7515

TECHNICAL DIMENSIONS

ø External: 54 | **Full Length:** 43.5 | **Hole ø:** 17 | **# of Ribs:** 9 |

Family: 502

REGIONS

Brazil

5876



RIGID PULLEY

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000BL1288 | F000BL9017 | F00M991007 |

F00M991160

UNIFAP: 3441

ALTERNATOR

BOSCH: 0124225028 | 0124225029 | 0124225034 | 0124515023

| 0124515082 | 0124515186 | 0124525015 | 0124525040 |

F000BL0425 | F000BL04A0 | F000BL04D3 | F000BL04D4 |

F000BL06Z7 | F000BL06Z8

GENERAL MOTORS/CHEVROLET: 54705513 | 93359978 |

93359979

SAAB: 12785605

VOLKSWAGEN: 04C903023A | 04C903023E | 04C903023H

APPLICATION

FIAT: Palio | Palio Weekend | Siena | Strada

GENERAL MOTORS/CHEVROLET: Astra | Celta | Classic | Corsa

| Vectra | Zafira

VOLKSWAGEN: CrossFox | Fox | Gol V | Parati V | Saveiro V |

SpaceCross | Up! | Voyage V

TECHNICAL DIMENSIONS

ø External: 54 | **Full Length:** 27 | **Hole ø:** 17 | **# of Ribs:** 6 |

Family: 502

REGIONS

Brazil

15063



TIMING BELT KIT

ORIGINAL CODE OR EQUIVALENT

BOSCH: 1987948216

CONTITECH: CT1130K2

DAYCO: KTB899

GATES: KS711

GENERAL MOTORS/CHEVROLET: 93160243 | 93161481 | 93198876

INA: 530036310 | 530063810

NYTRON: 9029

OPEL: 4410546 | 4430895

RENAULT: 130C11321R | 130C11551R | 130C13130R | 130C13622R | 130C19656R | 7701474021 | 7701474023 | 7701477022 | 7701477093

APPLICATION

RENAULT: Captur | Duster | Duster Oroch | Duster PH2 | Fluence | Grand Scenic | Laguna | Megane | Megane Grand Tour | Megane II | Megane II F.II | Sandero | Scenic

ZEN: Polia Desviadora da Correia Dentada 12811 | Tensor da Correia Dentada 13203

TECHNICAL DIMENSIONS

No. of Teeth (T): 126 | **Width:** 27 | **Passo (P):** 9.525 | **Family:** 620

REGIONS

Argentina, Chile, Colombia, Peru

15067



TIMING BELT KIT

ORIGINAL CODE OR EQUIVALENT

CONTITECH: CT924K1 **DAYCO:** KTB2571 **GATES:** KS311 **NYTRON:** 9018 **RANALLE:** RK9307B

APPLICATION

GENERAL MOTORS/CHEVROLET: Vectra **ZEN:** Polia Desviadora da Correia Dentada 12859 | Tensor da Correia Dentada 12848

TECHNICAL DIMENSIONS

No. of Teeth (T): 171 | **Width:** 24 | **Passo (P):** 8 | **Family:** 613

REGIONS

Brazil, Argentina

15066



TIMING BELT KIT

ORIGINAL CODE OR EQUIVALENT

CONTITECH: CT937K1

DAYCO: KTB800

GATES: KS604

APPLICATION

KIA: Sportage

TUCSON: Hyundai

ZEN: Polia Desviadora da Correia Dentada 13223 | Tensor da Correia Dentada 13061

TECHNICAL DIMENSIONS

No. of Teeth (T): 113 | **Width:** 25.4 | **Passo (P):** 9.525 | **Family:** 620

REGIONS

Brazil

31055



STARTER MOTOR

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000AL0132 | F000AL0133 | F000AL0140

PRESTOLITE: 35261305

VOLKSWAGEN: 2P0911023 | 2P0911023D

ZM: 8048016

APPLICATION

VOLKSWAGEN: 5140 EOD | 8150 EOD | Delivery

TECHNICAL DIMENSIONS

Power: 2,2 | **Tension:** 12 | **Nr Teeth:** 9 | **Pinion OD:** 34,6 |

Mounting ø: 110 | **Rest Position:** 27 | **Full Length:** 250 |

Direction of Rotation: CW | **Nr Mounting Holes:** 3 | **Family:** 653

REGIONS

Brazil

31056



STARTER MOTOR

ORIGINAL CODE OR EQUIVALENT

BOSCH: 0001109807 | 9000083056 | F000AL0137

MWM: 905720100074

VALMET: 221561

VALTRA: 803113

VOLKSWAGEN: 004053778

ZM: 8013204

APPLICATION

AGRALE: 5000 D | 7000 D | 7500 TD | BX 130 | BX 4110 | BX 4130 | BX 4150 | BX 90

AGRALE DEUTZ: 6150 TD | BX 100 TD | BX 4100 TD | BX 490

CASE: 80 CR | 80 P

CBT: 8440

FIAT ALLIS: FB 80

MASSEY FERGUSON: MF 3640

MWM: D 229-3 | D 229-4 | D 229-6 | TD 229-6

SLC: 7700 T

VALMET: 110 ID | 118 | 1184 | 128 | 138 | 1384 T | 62 ID | 65 ID | 68 Cafeeiro | 78 S | 78 VE | 85 ID | 88 | 880 | 980

TECHNICAL DIMENSIONS

Power: 2,2 | **Tension:** 12 | **Nr Teeth:** 9 | **Pinion OD:** 34,5 |

Mounting ø: 98,5 | **Rest Position:** 25,5 | **Full Length:** 250 |

Direction of Rotation: CW | **Nr Mounting Holes:** 3 | **Family:** 653

REGIONS

Brazil

34015



STARTER MOTOR

ORIGINAL CODE OR EQUIVALENT

CATERPILLAR: 1006929 | 1430541 | 1430543 | 1G9963 | 2253150 | 2257304 **DENSO:** 2280001830 | 2280001831 | 2280001832 **ZM:** 8014104

APPLICATION

CATERPILLAR: 1000 | 420D | 420E | 914G | 924G | 924GZ | 928G | AP300D | AP500E | AP555E | AP600 | AP650B | BB760 | BG225C | BG230D | BG500E | BG555E | CS433C | IT28G | M313C | M313D | M315C | M315D | M316C | M316D | M318C | M322C | M322D | PS150B | PS200B

TECHNICAL DIMENSIONS

Power: 4,5 | **Tension:** 24 | **Nr Teeth:** 10 | **Pinion OD:** 40 | **Mounting ø:** 88,8 | **Rest Position:** 29 | **Full Length:** 298 | **Direction of Rotation:** CW | **Nr Mounting Holes:** 3 | **Family:** 655

REGIONS

Brazil

41053



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000BL04L9 | F000BL04M0
NISSAN: 231005RA0A

APPLICATION

NISSAN: Kicks | March | Versa

TECHNICAL DIMENSIONS

Current (A): 90 | **Tension (V):** 12 | **Pulley Type:** RIG | **Plug:** SIM | **Distance 1st Thread (Z):** 33 | **Hole 1 (D1):** 8.5 | **Hole 2 (D2):** 8.5 | **Hole 3 (D3):** M8 | **Number of threads (R):** 7 | **Groove ø (RD):** 55 | **Family:** 559

REGIONS

Brazil

41055



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000BL0670
FORD: E4B510300DA | E4B510300DC
SEG: F000BL067A

APPLICATION

FORD: EcoSport | Fiesta | Ka | Ka Sedan

TECHNICAL DIMENSIONS

Current (A): 110 | **Tension (V):** 12 | **Pulley Type:** RL | **Plug:** SIM | **Distance 1st Thread (Z):** 42,35 | **Hole 1 (D1):** 8.8 | **Hole 2 (D2):** 8.8 | **Hole 3 (D3):** M8 | **Number of threads (R):** 6 | **Distance 1 (O1):** 122,7 | **Groove ø (RD):** 48,9 | **Family:** 559

REGIONS

Brazil

41056



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000BL0131 | F000BL0132
EURO: 70065
TOYOTA: 270600L150 | 270600L150B | 270600L150C

APPLICATION

TOYOTA: Hilux | Hilux SW4

TECHNICAL DIMENSIONS

Current (A): 90 | **Tension (V):** 12 | **Pulley Type:** RL | **Plug:** SIM | **Distance 1st Thread (Z):** 37,6 | **Hole 1 (D1):** 11 | **Hole 2 (D2):** 12.5 | **Hole 3 (D3):** M10x1.25 | **Number of threads (R):** 7 | **Distance 1 (O1):** 159,5 | **Groove ø (RD):** 58 | **Family:** 559

REGIONS

Brazil, South America

41057



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: 0986082310 | 1986A01087 | F000BL0704 | F000BL07N9
FIAT: 504385138
LUCAS: LEA0844 | LRA03542
PEUGEOT: 1612612480

APPLICATION

IVECO: CityClass | Daily | SoulClass | WayClass

TECHNICAL DIMENSIONS

Current (A): 150 | **Tension (V):** 12 | **Plug:** NAO | **Hole 1 (D1):** 10.6 | **Hole 2 (D2):** 11.2 | **Hole 3 (D3):** 10.5 | **Distance 1 (O1):** 162,9 | **Family:** 565

REGIONS

Brazil

41058



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: F000BL070S | F000BL070U

FIAT: 5802320985

APPLICATION

IVECO: Daily 30130 Furgão | Daily 30S13 City

TECHNICAL DIMENSIONS

Current (A): 150 | **Tension (V):** 12 | **Pulley Type:** RIG | **Plug:** NAO | **Distance 1st Thread (Z):** 41 | **Hole 1 (D1):** 10.2 | **Hole 2 (D2):** 11 | **Hole 3 (D3):** 10.2 | **Number of threads (R):** 7 | **Groove ø (RD):** 55 | **Family:** 559

REGIONS

Brazil

41061



ALTERNATOR 12V

ORIGINAL CODE OR EQUIVALENT

BOSCH: 9120080061

EURO: 70003NC

ZM: 9010114

APPLICATION

VOLKSWAGEN: Brasília | Fusca | Kombi

ZEN: Com cinta e suporte de fixação

TECHNICAL DIMENSIONS

Current (A): 55 | **Tension (V):** 12 | **Plug:** NAO | **Family:** 557

REGIONS

Brazil

41066



ALTERNATOR 24V

APPLICATION

MERCEDES BENZ: O500M | O500R | O500U | OH1418

TECHNICAL DIMENSIONS

Current (A): 150 | **Tension (V):** 24 | **Pulley Type:** RIG | **Plug:** SIM | **Distance 1st Thread (Z):** 113 | **Hole 1 (D1):** 10.5 | **Hole 2 (D2):** 12.3 | **Hole 3 (D3):** 12.3 | **Number of threads (R):** 8 | **Distance 1 (O1):** 158,5 | **Distance 2 (O2):** 155,9 | **Distance 3 (O3):** 158,5 | **Groove ø (RD):** 55 | **Family:** 563

REGIONS

Brazil

70003



STARTER RELAY WITH HOUSING 12V

ORIGINAL CODE OR EQUIVALENT

ZM: 8940402

APPLICATION

DENSO: Relé de Partida com Mancal

TECHNICAL DIMENSIONS

Tension (V): 12 | Battery Terminal (B+): M12 | Motor Terminal (M): M10 | Ignition Terminal (S): M5 | Full Length (L) (mm): 143 | External Diameter (OD) (mm): 68 | Mounting Holes (NH): 2 | Family: 1102

REGIONS

Brazil

70009



STARTER AUXILIARY RELAY 12V

ORIGINAL CODE OR EQUIVALENT

JOHNSON ELETRIC: 5118840 | 5118940

PRESTOLITE: 15386

WAI: 67741

APPLICATION

APLICAÇÃO ESPECIAL:

TECHNICAL DIMENSIONS

Tension (V): 12 | Battery Terminal (B+): 5/16 | Motor Terminal (M): 5/16 | Ignition Terminal (S): 10-32 | Full Length (L) (mm): 67.5 | External Diameter (OD) (mm): 42 | Mounting Holes (NH): 2 | Family: 1107

REGIONS

Middle East



ZENSA.COM.BR

ZEN S.A. INDÚSTRIA METALÚRGICA

Guilherme Steffen, 65, Brusque/SC - CEP 88355-100
SAC Brasil 0800 047 1919 | 📞 47 9 9286-5795 | Fone: +55 47 3255 - 2800
vendas@zensa.com.br | sales@zensa.com.br | ventas@zensa.com.br